## Monthly average dew point monitoring data set in The Belt and Road(1989-2018)

#### **Data Documentation**

#### I. Dataset/atlas content features

#### i. Abstract

The data set is calculated and interpolated by weather station data. The meteorological site data comes from NOAA, which includes data such as temperature, wind speed, and precipitation. The research team processes the daily weather station data into monthly data, and then interpolates through Kriging to form raster data covering the entire study area.

The dataset shows monthly average dew point in South and Southeast Asia, providing a reference for users and further research.

# ii. Elements (content fields)

Table 1 Description of data element content

Data name	Item (field)	Field name in	Field measure	Field code	Remarks
		Chinese	unit	description	
DEWP_MEAN	Value	月平均露点	Fahrenheit		
			degree		

## iii. Temporal cover

1989-2018

#### iv. Spatial cover

South Asia: India, Bangladesh, Pakistan, Sri Lanka, Nepal, Bhutan; Southeast Asia: Indonesia, Thailand, Malaysia, Philippines, Vietnam, Myanmar, Cambodia, Laos.

### II. Subject/industry scope of dataset/atlas

# i. Subject scope

Earth science

# ii. Industry scope

Disaster prevention and mitigation, ecological environment, land and resources, climate change, tourism, regional economy, social development and other industries.

## iii. Other classifications (optional)

## III. Accuracy of dataset/atlas

## i. Time frequency

1 month

# ii. Spatial reference, accuracy, and granularity

Spatial reference: GCS\_WGS\_1984

Accuracy: 1 time

Spatial resolution: 0.1 degree \* 0.1 degree

Granularity: station

## IV. Dataset/atlas storage management

## i. Data quantity

2160.64MB

#### ii. Type format

The data set is stored on hard disk, and the data structure type is raster data.

## iii. Update management

Updated from time to time.

#### V. Quality control of the dataset/atlas

## i. Production mode

The data set is calculated and interpolated from meteorological station data.

## ii. Data sources (condition selection)

NOAA Meteorological Station Data

# iii. Methods of the data acquisition and processing (condition selection)

The research team processed the daily weather station data into monthly data, and then interpolated by Kriging to form raster data covering the entire study area.

# VI. Sharing and usage method of the dataset/atlas

### i. Sharing methods and restrictions

Fully shared

### ii. Contact information of the sharing service (condition selection)

The service is as follows:

Name: Yang fei

Mailing address: A11 Datun Road, Chaoyang District, Beijing

Zip code: 100101

E-mail: yangfei@lreis.ac.cn

#### iii. Conditions and methods of usage

Use ArcGIS, ENVI and other software to open.

#### VII. Intellectual property rights of the dataset/atlas

## i. Property rights (optional)

"Monthly average dew point monitoring data set in The Belt and Road(1989-2018)" owned by institute of geographic sciences and natural resources research, CAS.

#### ii. Reference method of the dataset/atlas

Monthly average dew point monitoring data set in The Belt and Road(1989-2018). Disaster Risk Reduction Knowledge Service of International Knowledge Centre for Engineering Sciences and Technology (IKCEST) under the Auspices of UNESCO,2020.05.28. http://drr.ikcest.org/info/9fed6

## iii. Usage contacts of the datasets/atlas

Contact person Name: Yang fei

Mailing address: All Datun Road, Chaoyang District, Beijing

Zip code: 100101

E-mail: yangfei@lreis.ac.cn

#### VIII. Others (optional)

In addition to the above, other information must also be explained.

Data documentation author information								
Data documentation author	Jianming Meng	Update time	2020.05.28					

Organization	Institute of geographic sciences and natural resources research, CAS.				
Contact information	E-mail				
Address	A11 Datun Road	, Chaoyang	Postcode	100101	
	District, Beijing				
Telephone		E-mail	1780838437@qq.com		